



2014/15  
CASES  
WORKBOOK

H P R C C A S E S  
**MADE IN ITALY**  
MANUFACTURED



### **Our Brand**

We're about happiness by cases. It means we're not just in the business of creating protective cases, even though that is what we do. Our everyday commitment is designed to make people happy.

From an ever-growing collection of innovative products to our passionate team who makes it happen, it's all about happiness.

### **Our Products**

We're always looking for what's next. We're constantly innovating our original designed form and function, proving a fresh approach to the art of cases. By incorporating different styles, top quality materials and eye-catching patterns into our design, we make more than a case. We make a statement.

### **Our History**

HPRC cases were born in 2006 with one simple premise: we can design a better case. In almost 10 years HPRC has grown into a successful international business, teaming up with important companies and partners. Our products can be found in 76 countries and have garnered top awards and praise. As we grow, our entrepreneurial spirit continues to drive the HPRC culture. After all, it's what helped us build one of the world's best hard cases brand.

# Ultralight. Watertight. Smart Cases.

HPRC cases can be used for all sorts of applications and different areas: photography, industrial, military, nautical, police and many others. HPRC provides total protection to the carried equipment against dust, water, impacts and corrosion for chemical agents.



Outdoor | Diving | Marine



Photo | Video



Industrial | Electronic | It

Photo by Luigi Fieni



Military | Government



Fire | Emergency | Medical

Photo by Flavio Oliva

# Highlights

## 2014/2015

### HPRC X4 - 2760W



HPRC achieves a new dimension in the highly protective resin cases market presenting **HPRC2760W**, the only case on the market featuring 4 built in wheels and 3 functional and comfortable handles. One case, 3 uses: case, cart and trolley, depending on how you need to carry it. Using one of the two side handles and pushing or pulling the case as a trolley. Or as a case, using the comfortable, soft grip handle. You can use both lateral handles when you need two people to move it. Or you can also use it as a cart, by stacking the cases.

on top of each other to easily push or pull them while they're on the ground. Braked wheels allow to block the case preventing unexpected movement and guaranteeing therefore maximum safety. Discover all the features of this new innovative case, on the dedicated mini website:  
<http://www.hprcx4.it/>

**More info at page: 32**



**HPRC<sup>®</sup>** *x*<sup>4</sup>  
HIGH PERFORMANCE RESIN CASES

## HPRC4200



The new **HPRC4200** is the latest HPRC shoulder case. It is excellent especially for carrying LED lights and stands, but it also works very well for all audio, video, and photo equipment. The new Roll Body System (RBS) lets the strap follow the natural

body movement while walking, running or hiking. Its size allows to carry it as hand luggage on airplanes. It is available in black, with foam, soft deck (divider kit) system, or interior bag.  
**More info at page: 40**

## HPRC6200

The **HPRC6200** is the smallest case of the 6000 series. It's designed to easily carry compact tripods, thanks to the large central handle, and the smaller soft-grip side one. The case opens on the long side for an easy access to its contents, and it is secured by a double-hinged latch system. It is meant to hold and transport your audio, video and photo gear safely.

**More info at page: 46**



## HPRC4700W

This new model by HPRC is unique in its kind, especially for two special features: the telescopic aluminum trolley handle, and the XXL wheels. These wheels, which are bigger than the traditional ones, allow you to carry the case on any

surface. The wheels are made internally of polypropylene and of thermoplastic rubber -TPV type - in the outer part.

**More info at page: 44**



# Commitments

## Our commitment to you:

1. **UNDERSTAND** the problems of your market and your specific requirements. Through our expert knowledge of technological and economic trends we can offer an uncompromisingly individual approach to each customer.

2. **FIND** a transport solution tailored to your requirements. Our extensive cases range, our custom solutions that go far beyond our product offer, our team that assists you in selecting the case that is best suited to your own needs, are our core strengths.

3. **LISTEN** to and take account of your comments, through our network of experts and our frequent satisfaction surveys.

4. **BE** incessantly innovative and competitive in the professional cases market.

# HPRC: innovation, technology and design.



Most of hard watertight cases are made in standard pp: our r&d department has developed an enhanced compound, still based on pp, now balanced with additional high performance resins.

Ttx01® allows to produce cases which are lighter in weight and stronger in robustness.

The special mix we added makes the HPRC shell thinner and more elastic, increasing therefore the shockproof degree and the lightweight. On the top of that, maintaining pp characteristics, HPRC cases are acidproof, scratchproof, able to resist to extreme weather conditions and temperature changes (all products are tested from - 40° c up to 80°c).

Do you want to know more?  
Please contact our technical team: [tech@hprc.lt](mailto:tech@hprc.lt)



pole: ALU



body: TTX01® hardware: steel



wheels: PA66+PUR



handle: PP+SEBS



latches: POM



ext.handle: PA66GF30



**HPRC life time warranty:** HPRC products have been built to rigorous standards of quality and are guaranteed against all defects in materials and workmanship for the whole life of the case.



**Airex** is the new automatic purge valve that is auto press release adjusted to changing environments automatically.

The attention and respect toward the environment and the commitment to an eco-sustainable future are important values for HPRC

Our commitment starts from the design phase of the product, and involves all the production stages including the management of the impact of the product's end of life. All shells and components of HPRC cases are 100% recyclable: the production and transformation discards are infact reintegrated in the production cycle. The high resistance of the patented material ttx01® allows to use the HPRC cases longer than any other case, reducing therefore the emissions of CO2 due to the production

 we case in  
**green.**

and distribution. The constant quest for suppliers complying with iso 14000 or emas certification and which are geographically close to our company is a contribute to reduce the environmental impact and represents a challenge in a world where firms usually aim only for low price suppliers not considering their possibly higher environmental impact.

Moreover HPRC adopts renewable sources plants for energy production to cover the energetic needs.

# Standard cases

HPRC cases are available with a standard setup if you don't need any special customization regarding the shell or the interior foam. Here are the 4 possible standard configurations.

\* EMPTY - USA: E



\* CUBED FOAM - USA: F



\* INTERIOR BAG - USA: IC



\* SOFT PADDED OPEN DECK + DIVIDERS - USA: DK




\* PANEL FRAME MOUNTING SYSTEM AVAILABLE

# Oem cases

We are cases producers,  
if you do not find the right size or best liked design  
we will make a customized case for you

1. Product inquiry >>>> Mold + price offer
2. Contract signing >>>> Design drawing
3. Client confirmation >>>> Mold making
4. Sample checking >>>> Production arrangement



105

1.5

11

# Custom fit cases

Customization concerns: color, printing, adhesive, foam inlay (die cut, water cut, milled, moulded), thermoformed inlay, lid panels and organizer, extra working on the cases shell (holes, external applications) keeping the water tightness.



## HIGH VISIBILITY INLAYS

A special high visibility inlay can be designed in order to avoid forgetting equipment on the field after use.



## CUSTOMIZED LAYOUT

We give customers different equipment layouts options in order to optimize space and handiness.



## CUSTOMIZED COVERS

Customization also includes the possibility to design solutions in order to use the cover as a glove compartment. We can provide organizers, special tools addition, shell modifications and custom colors.



## SHELL CUSTOMIZATION

HPRC customization service also provides shell customization, including holes for external connections. HPRC panel frame accessory (HPRCPF) allows customers to install a control panel into the case, ensuring a perfect fit.



## INJECTION INLAYS

The custom inlay made in expanded polypropylene of different densities guarantees a perfect protection and a professional look to the case. Our service includes the initial study of the mould and goes through the prototype phase and final production.




## MILLED FOAMS

The milling technology allows to get one piece inlays with many different depths.



## WATER CUTTING TECHNOLOGY FOAMS

Expanded polyethylene foams are available in various densities (Kg/m<sup>3</sup>), resistance to compression (kPa) and resistance to different temperatures ranges (°C). These foams, produced with water cutting technology, guarantee a good protection and allow a wide range of customizations.



## MULTY LAYER

A multi layer case is a handy solution, especially when equipment is made of many small and different parts that must be stored and protected into one case only.

# HPRC 1100



## TECHNICAL FEATURES

### Dimension:

internal dimension 57x58x25,5(mm) - 2,24x2,28x1,00(in)  
external dimension 69x80x32(mm) - 2,72x3,15x1,26(in)

lid: 12,8(mm) - 0,50(in) bottom: 12,7(mm) - 0,50(in)

lt0,1

### Weight:

empty: 0,04kg - 0,09lbs

available empty or with memory card storage


### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F

### Colors:

Black - Ferrari red

## TECHNICAL DRAWING



\* memory card case



\* empty case



APPROVALS  
ATA 300  
IP67  
STANAG 4280  
DS 81-41

TEST  
DROP  
IMPACT  
HANDLE  
WATERTIGHT INTEGRITY  
UV COLOR AND MATERIAL  
PROTECTION

\* volume in litres  
W wheelded

## FEATURES

- Removable multiformat memory card holder
- Accepted card Formats: SD, Memory stick, Memory stick pro duo, Mini SD
- Holds up to 2 memory cards per format
- Full/empty indicator

\* open cases images reflect the different HPRC cases internal options



## TECHNICAL FEATURES

### Dimension:

internal dimension 116x67x25,5(mm) - 4,57x2,64x1,00(in)  
external dimension 127x90x32(mm) - 5,00x3,54x1,26(in)

lid: 12,8(mm) - 0,50(in) bottom: 12,7(mm) - 0,50(in)

lit0,2

### Weight:

empty: 0,09kg - 0,19lbs

**available empty or with memory card storage**



### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F

### Colors:

Black - Ferrari red

## TECHNICAL DRAWING



\* cubed foam



\* memory card case



\* memory Card Case for video



**APPROVALS**  
ATA 300  
IP67  
STANAG 4280  
DS 81-41

**TEST**  
DROP  
IMPACT  
HANDLE  
WATERTIGHT INTEGRITY  
UV COLOR AND MATERIAL PROTECTION

\* volume in litres  
W wheelied

## FEATURES

- Removable multiformat memory card holder
- Accepted card Formats: SD, Memory stick, Memory stick pro duo, Mini SD
- Holds up to 2 memory cards per format
- Full/empty indicator



# HPRC 2100



## TECHNICAL FEATURES

### Dimension:

internal dimension 210x145x94(mm) - 8,27x5,71x3,70(in)  
external dimension 235x196x110(mm) - 9,25x7,72x4,33(in)

lid: 18(mm) - 0,71(in) bottom: 76(mm) - 2,99(in)



### Weight:

empty: 0,76kg - 1,68lbs  
with cubed foam: 0,84kg - 1,85lbs


### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F

### Colors:

Black - Orange - Ferrari red - Electric blue

## TECHNICAL DRAWING



\* cubed foam



\* interior bag



**APPROVALS**  
ATA 300  
IP67  
STANAG 4280  
DS 81-41

**TEST**  
DROP  
IMPACT  
HANDLE  
WATERTIGHT INTEGRITY  
UV COLOR AND MATERIAL  
PROTECTION



## ACCESSORIES

HPRCCF2100 CUBED FOAM USA:HPRCFO (foam only)	HPRCLO PADLOCK - TSA	HPRCCB2100 INTERIOR BAG USA:HPRCIC (internal case)	HPRCPANELFRAME (panel not included)

\* open cases images reflect the different HPRC cases internal options



## TECHNICAL FEATURES

### Dimension:

internal dimension 236x182x108(mm) - 9,29x7,17x4,25(in)  
external dimension 258x230x123(mm) - 10,16x9,06x4,84(in)

lid: 29(mm) - 1,14(in) bottom: 79(mm) - 3,11(in)



### Weight:

empty: 0,87kg - 1,92lbs  
with cubed foam: 1,08kg - 2,38lbs


### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F

### Colors:

Black

## TECHNICAL DRAWING



\* cubed foam



\* interior bag




**APPROVALS**  
ATA 300  
IP67  
STANAG 4280  
DS 81-41

**TEST**  
DROP  
IMPACT  
HANDLE  
WATERTIGHT INTEGRITY  
UV COLOR AND MATERIAL  
PROTECTION



## ACCESSORIES

**HPRCCF2200**  
CUBED FOAM  
USA:HPRCF0 (foam only)



**HPRCLO**  
PADLOCK - TSA



**HPRCCB2200**  
INTERIOR BAG  
USA:HPRCIC (internal case)



**HPRCPANELFRAME**  
(panel not included)



# HPRC 2250



## TECHNICAL FEATURES

### Dimension:

internal dimension 236x182x155(mm) - 9,29x7,17x6,10(in)  
external dimension 258x230x170(mm) - 10,16x9,06x6,69(in)

lid: 29(mm) - 1,14(in) bottom: 126(mm) - 4,96(in)

### Weight:

empty: 1,00kg - 2,20lbs  
with cubed foam: 1,35kg - 2,97lbs

### Temperature rating:

Minimum -40°C -40°F      Maximum +80°C +176°F

### Colors:

Black




\* cubed foam



\* interior bag

## TECHNICAL DRAWING




**APPROVALS**  
ATA 300  
IP67  
STANAG 4280  
DS 81-41

**TEST**  
DROP  
IMPACT  
HANDLE  
WATERTIGHT INTEGRITY  
UV COLOR AND MATERIAL  
PROTECTION

W volume in litres

## ACCESSORIES

**HPRCCF2250**  
CUBED FOAM  
USA:HPRCF0 (foam only)



**HPRCLO**  
PADLOCK - TSA



**HPRCCB2250**  
INTERIOR BAG  
USA:HPRCIC (internal case)



**HPRCPANELFRAME**  
(panel not included)



\* open cases images reflect the different HPRC cases internal options



## TECHNICAL FEATURES

### Dimension:

internal dimension 304x231x137(mm) - 11,97x9,09x5,39(in)  
external dimension 335x289x155(mm) - 13,19x11,38x6,10(in)

lid: 31(mm) - 1,22(in) bottom: 106(mm) - 4,17(in)

lit 10

### Weight:

empty: 1,67kg - 3,68lbs  
with cubed foam: 1,90kg - 4,19lbs


### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F

### Colors:

Black - Orange - Ferrari red - Electric blue

## TECHNICAL DRAWING



\* cubed foam



\* interior bag



**APPROVALS**  
ATA 300  
IP67  
STANAG 4280  
DS 81-41

**TEST**  
DROP  
IMPACT  
HANDLE  
WATERTIGHT INTEGRITY  
UV COLOR AND MATERIAL  
PROTECTION

\* volume in litres  
W wheeled

## ACCESSORIES

HPRCCF2300 CUBED FOAM USA:HPRCF0 (foam only)	HPRCLO PADLOCK - TSA	HPRCCB2300 INTERIOR BAG USA:HPRCIC (internal case)	HPRCPANELFRAME (panel not included)

# HPRC 2400



## TECHNICAL FEATURES

### Dimension:

internal dimension 380x266x152(mm) - 14,96x10,47x5,98(in)  
external dimension 405x330x170(mm) - 15,94x12,99x6,69(in)

lid: 45(mm) - 1,77(in) bottom: 107(mm) - 4,21(in)



### Weight:

empty: 2,05kg - 4,52lbs  
with cubed foam: 2,38kg - 5,25lbs


### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F

### Colors:

Black - Orange - Ferrari red - Electric blue

## TECHNICAL DRAWING



\* cubed foam



\* interior bag



APPROVALS  
ATA 300  
IP67  
STANAG 4280  
DS 81-41

TEST  
DROP  
IMPACT  
HANDLE  
WATERTIGHT INTEGRITY  
UV COLOR AND MATERIAL  
PROTECTION



## ACCESSORIES

HPRCCF2400 CUBED FOAM USA:HPRCF0 (foam only)	HPRCLO PADLOCK - TSA	HPRCCB2400 INTERIOR BAG USA:HPRCIC (internal case)	HPRCORG2400 LID ORGANIZER	HPRCPANELFRAME (panel not included)

\* open cases images reflect the different HPRC cases internal options



## TECHNICAL FEATURES

### Dimension:

internal dimension 409x306x175(mm) - 16,10x12,05x6,89(in)  
external dimension 434x371x193(mm) - 17,09x14,61x7,60(in)

**lt21,5**

lid: 70(mm) - 2,76(in) bottom: 105(mm) - 4,14(in)

### Weight:

empty: 2,60kg - 5,73lbs  
with cubed foam: 3,14kg - 6,92lbs


### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F

### Colors:

Black

## TECHNICAL DRAWING



\* cubed foam



\* interior bag




**APPROVALS**  
ATA 300  
IP67  
STANAG 4280  
DS 81-41

**TEST**  
DROP  
IMPACT  
HANDLE  
WATERTIGHT INTEGRITY  
UV COLOR AND MATERIAL  
PROTECTION

**W**  
volume in litres  
wheeled

## ACCESSORIES

**HPRCCF2460**  
CUBED FOAM  
USA:HPRCF0 (foam only)



**HPRCLO**  
PADLOCK - TSA



**HPRCCB2460**  
INTERIOR BAG  
USA:HPRCIC (internal case)



**HPRCORG2460**  
LID ORGANIZER



**HPRCPANELFRAME**  
(panel not included)



# HPRC 2500



## TECHNICAL FEATURES

### Dimension:

internal dimension 450x323x175(mm) - 17,72x12,72x6,89(in)  
external dimension 478x390x194(mm) - 18,82x15,35x7,64(in)

lid: 46(mm) - 1,81(in) bottom: 129(mm) - 5,08(in)



### Weight:

empty: 3,15kg - 6,94lbs  
with cubed foam: 3,71kg - 8,18lbs


### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F

### Colors:

Black - Orange - Ferrari red - Electric blue

## TECHNICAL DRAWING



\* cubed foam



\* interior bag



\* soft padded open deck + dividers



**APPROVALS**  
ATA 300  
IP67  
STANAG 4280  
DS 81-41

**TEST**  
DROP  
IMPACT  
HANDLE  
WATERTIGHT INTEGRITY  
UV COLOR AND MATERIAL  
PROTECTION



## ACCESSORIES

HPRCCF2500 CUBED FOAM USA:HPRCF0 (foam only)	HPRCLO PADLOCK - TSA	HPRCCB2500 INTERIOR BAG USA:HPRCIC (internal case)	HPRCORG2500 LID ORGANIZER	HPRCPANELFRAME (panel not included)	HPRCSD2500 SOFT PADDED OPEN DECK + DIVIDERS USA: HPRCDK (divider kit)

\* open cases images reflect the different HPRC cases internal options



## TECHNICAL FEATURES

### Dimension:

internal dimension 513x288x132(mm) - 20,20x11,34x5,20(in)  
external dimension 540x350x135(mm) - 21,26x13,78x5,31(in)

lid: 46(mm) - 1,81(in) bottom: 86(mm) - 3,25(in)

lt19

### Weight:

empty: 3,20kg - 7,05lbs  
with cubed foam: 3,26kg - 7,19lbs


### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F

### Colors:

Black

## TECHNICAL DRAWING



\* cubed foam



\* soft padded open deck + dividers



**APPROVALS**  
ATA 300  
IP67  
STANAG 4280  
DS 81-41

**TEST**  
DROP  
IMPACT  
HANDLE  
WATERTIGHT INTEGRITY  
UV COLOR AND MATERIAL  
PROTECTION

volume in litres  
**W** wheeled

## ACCESSORIES

**HPRCCF2530**  
CUBED FOAM  
USA:HPRCF0 (foam only)

**HPRCLO**  
PADLOCK - TSA

**HPRCSTRAP**

**HPRCSD2530 SOFT PADDED  
OPEN DECK + DIVIDERS USA:  
HPRCDK (divider kit)**



# HPRC 2550W



## TECHNICAL FEATURES

### Dimension:

internal dimension 510x285x208(mm) - 20,08x11,22x8,19(in)  
external dimension 559x350x233(mm) - 22,01x13,78x9,17(in)

lid: 46(mm) - 1,81(in) bottom: 162(mm) - 6,37(in)

lit29

W

CABIN  
OK

### Weight:

empty: 4,85kg - 10,69lbs  
with cubed foam: 5,35kg - 11,79lbs


### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F

### Colors:

Black - Orange - Ferrari red - Electric blue

## TECHNICAL DRAWING



\* cubed foam



\* interior bag



\* soft padded open deck + dividers




APPROVALS  
ATA 300  
IP67  
STANAG 4280  
DS 81-41

TEST  
DROP  
IMPACT  
HANDLE  
WATERTIGHT INTEGRITY  
UV COLOR AND MATERIAL  
PROTECTION

volume in litres  
W  
wheeled

## ACCESSORIES

**HPRCCF2550W**  
CUBED FOAM  
USA:HPRCF0 (foam only)



**HPRCLO**  
PADLOCK - TSA



**HPRCCB2550W**  
INTERIOR BAG  
USA:HPRCIC (internal case)



**HPRCORG2550W**  
LID ORGANIZER



**HPRCSD2550W** SOFT PADDED  
OPEN DECK + DIVIDERS USA:  
HPRCDK (divider kit)



\* open cases images reflect the different HPRC cases internal options



## TECHNICAL FEATURES

### Dimension:

internal dimension 390x310x89(mm) - 15,35x12,20x3,50(in)  
external dimension 410x359x110(mm) - 16,14x14,13x4,33(in)

lid: 44(mm) - 1,73(in) bottom: 45(mm) - 1,77(in)



### Weight:

empty: 2,40kg - 5,29lbs  
with cubed foam: 2,57kg - 5,67lbs


### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F

### Colors:

Black

## TECHNICAL DRAWING



\* cubed foam



\* interior bag




**APPROVALS**  
ATA 300  
IP67  
STANAG 4280  
DS 81-41

**TEST**  
DROP  
IMPACT  
HANDLE  
WATERTIGHT INTEGRITY  
UV COLOR AND MATERIAL  
PROTECTION



## ACCESSORIES

**HPRCCF2580**  
CUBED FOAM  
USA:HPRCFO (foam only)



**HPRCLO**  
PADLOCK - TSA



**HPRCSTRAP**



**HPRCORG2580**  
LID ORGANIZER



# HPRC 2600



## TECHNICAL FEATURES

### Dimension:

internal dimension 492x366x202(mm) - 19,37x14,41x7,95(in)  
external dimension 555x432x223(mm) - 21,85x17,01x8,78(in)

lit34

lid: 47(mm) - 1,85(in) bottom: 155(mm) - 6,10(in)

### Weight:

empty: 4,25kg - 9,37lbs  
with cubed foam: 5,05kg - 11,13lbs


### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F

### Colors:

Black - Orange - Ferrari red - Electric blue

## TECHNICAL DRAWING



\* cubed foam



\* interior bag



\* soft padded open deck + dividers



**APPROVALS**  
ATA 300  
IP67  
STANAG 4280  
DS 81-41

**TEST**  
DROP  
IMPACT  
HANDLE  
WATERTIGHT INTEGRITY  
UV COLOR AND MATERIAL  
PROTECTION



## ACCESSORIES

**HPRCCF2600**  
CUBED FOAM  
USA:HPRCF0 (foam only)

**HPRCLO**  
PADLOCK - TSA

**HPRCCB2600**  
INTERIOR BAG  
USA:HPRCIC (internal case)

**HPRCORG2600**  
LID ORGANIZER

**HPRCPANELFRAME**  
(panel not included)

**HPRCSD2600** SOFT PADDED  
OPEN DECK + DIVIDERS USA:  
HPRCDK (divider kit)



\* open cases images reflect the different HPRC cases internal options

# HPRC 2600W

\* open cases images reflect the different HPRC cases internal options



## TECHNICAL FEATURES

### Dimension:

internal dimension 482x358x218(mm) - 18,98x14,09x8,58(in)  
external dimension 546x423x250(mm) - 21,05x16,65x9,84(in)

lid: 46(mm) - 1,81(in) bottom: 172(mm) - 6,77(in)

lt38

W

### Weight:

empty: 6,05kg - 13,34lbs  
with cubed foam: 6,97kg - 15,37lbs


### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F

### Colors:

Black - Orange - Electric blue

## TECHNICAL DRAWING



\* cubed foam



\* interior bag



\* soft padded open deck + dividers



APPROVALS  
ATA 300  
IP67  
STANAG 4280  
DS 81-41

TEST  
DROP  
IMPACT  
HANDLE  
WATERTIGHT INTEGRITY  
UV COLOR AND MATERIAL  
PROTECTION

volume in litres  
W  
wheeled

## ACCESSORIES

**HPRCCF2600W**  
CUBED FOAM  
USA:HPRCF0 (foam only)

**HPRCLO**  
PADLOCK - TSA

**HPRCCB2600W**  
INTERIOR BAG  
USA:HPRCIC (internal case)

**HPRCORG2600W**  
LID ORGANIZER

**HPRCPANELFRAME**  
(panel not included)

**HPRCSD2600W** SOFT PADDED  
OPEN DECK + DIVIDERS USA:  
HPRCDK (divider kit)



# HPRC 2700



## TECHNICAL FEATURES

### Dimension:

internal dimension 555x459x205(mm) - 21,85x18,07x8,07(in)  
external dimension 617x525x227(mm) - 24,29x20,67x8,94(in)

lid: 45(mm) - 1,77(in) bottom: 160(mm) - 6,29(in)

**lit52**

### Weight:

empty: 5,55kg - 12,24lbs  
with cubed foam: 6,71kg - 14,79lbs


### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F

### Colors:

Black - Orange - Ferrari red

## TECHNICAL DRAWING



\* cubed foam



\* interior bag



\* soft padded open deck + dividers



**APPROVALS**  
ATA 300  
IP67  
STANAG 4280  
DS 81-41

**TEST**  
DROP  
IMPACT  
HANDLE  
WATERTIGHT INTEGRITY  
UV COLOR AND MATERIAL  
PROTECTION

\* volume in litres  
**W** wheeled

## ACCESSORIES

**HPRCCF2700**  
CUBED FOAM  
USA:HPRCF0 (foam only)

**HPRCLO**  
PADLOCK - TSA

**HPRCCB2700**  
INTERIOR BAG  
USA:HPRC (internal case)

**HPRCORG2700**  
LID ORGANIZER

**HPRCSD2700** SOFT PADDED  
OPEN DECK + DIVIDERS USA:  
HPRCDK (divider kit)



SAFETY STRAP



\* open cases images reflect the different HPRC cases internal options

# HPRC 2700W

\* open cases images reflect the different HPRC cases internal options



## TECHNICAL FEATURES

### Dimension:

internal dimension 555x459x256(mm) - 21,85x18,07x10,08(in)  
external dimension 620x525x280(mm) - 24,41x20,67x11,02(in)

lid: 45(mm) - 1,77(in) bottom: 211(mm) - 8,30(in)



### Weight:

empty: 8,30kg - 18,30lbs  
with cubed foam: 9,07kg - 19,99lbs


### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F

### Colors:

Black - Orange - Ferrari red

## TECHNICAL DRAWING



**APPROVALS**  
ATA 300  
IP67  
STANAG 4280  
DS 81-41

**TEST**  
DROP  
IMPACT  
HANDLE  
WATERTIGHT INTEGRITY  
UV COLOR AND MATERIAL  
PROTECTION



\* cubed foam

\* interior bag

\* soft padded open deck + dividers

## ACCESSORIES

**HPRCCF2700W**  
CUBED FOAM  
USA:HPRCF0 (foam only)

**HPRCLO**  
PADLOCK - TSA

**HPRCCB2700W**  
INTERIOR BAG  
USA:HPRCIC (internal case)

**HPRCORG2700W**  
LID ORGANIZER

**HPRCSD2700W** SOFT PADDED  
OPEN DECK + DIVIDERS USA:  
HPRCDK (divider kit)



# HPRC 2730W



## TECHNICAL FEATURES

### Dimension:

internal dimension 509x460x316(mm) - 20,04x18,11x12,44(in)  
external dimension 620x520x350(mm) - 24,41x20,47x13,78(in)

lid: 45(mm) - 1,77(in) bottom: 271(mm) - 10,66(in)



### Weight:

empty: 7,55kg - 16,64lbs  
with cubed foam: 10,43kg - 22,99lbs


### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F

### Colors:

Black

## TECHNICAL DRAWING



\* cubed foam



\* interior bag



\* soft padded open deck + dividers



**APPROVALS**  
ATA 300  
IP67  
STANAG 4280  
DS 81-41

**TEST**  
DROP  
IMPACT  
HANDLE  
WATERTIGHT INTEGRITY  
UV COLOR AND MATERIAL PROTECTION



## ACCESSORIES

**HPRCCF2730W**  
CUBED FOAM  
USA:HPRCF0 (foam only)



**HPRCLO**  
PADLOCK - TSA



**HPRCCB2730W**  
INTERIOR BAG  
USA:HPRCIC (internal case)



**HPRCORG2730W**  
LID ORGANIZER



**HPRCSD2730W**  
SOFT PADDED  
OPEN DECK + DIVIDERS USA:  
HPRCDK (divider kit)





Discover all our products  
at: **[www.hprc.it](http://www.hprc.it)**

# HPRC 2760W



## HPRC X4: When innovation becomes a case

Main features:

- 4 built in wheels: roll the case along by simply pushing it while it's on the ground
- two side handles: push or pull the case as a trolley
- stackable exterior lid design: use the case as a cart by stacking more cases on top of each other
- two lateral handles: when you need to hold the case from both sides
- comfortable soft-grip handle
- braked wheels to prevent unexpected movement

Discover more on: [www.hprcx4.it](http://www.hprcx4.it)



# HPRC 2760W

\* open cases images reflect the different HPRC cases internal options



## TECHNICAL FEATURES

### Dimension:

internal dimension 690x450x300(mm) - 27,16x17,71x11,81(in)  
external dimension 750x510x329(mm) - 29,53x20,08x12,99(in)



lid: 50(mm) - 1,97(in) bottom: 250(mm) - 9,84(in)



### Weight:

empty: 9,20kg - 20,28lbs  
with cubed foam: 10,72kg - 23,63lbs


### Temperature rating:

Minimum -40°C -40°F      Maximum +80°C +176°F

### Colors:

Black

## TECHNICAL DRAWING



\* cubed foam



\* interior bag



\* soft padded open deck + dividers




APPROVALS  
ATA 300  
IP67  
STANAG 4280  
DS 81-41

TEST  
DROP  
IMPACT  
HANDLE  
WATERTIGHT  
INTEGRITY  
UV COLOR AND MATERIAL  
PROTECTION

volume in litres  
W wheelie

## ACCESSORIES

HPRCCF2760W  
CUBED FOAM  
USA:HPRCF0 (foam only)



HPRCLO  
PADLOCK - TSA



HPRCCB2760W  
Interior bag  
USA:HPRCIC (internal case)



HPRC2760W SOFT PADDED  
OPEN DECK + DIVIDERS USA:  
HPRCDK (divider kit)



HPRCORG2760W  
LID ORGANIZER



# HPRC 2780W



## TECHNICAL FEATURES

### Dimension:

internal dimension 749x525x366(mm) - 29,49x20,67x14,41(in)  
external dimension 810x586,5x388(mm) - 31,89x23,09x15,28(in)

lid: 73(mm) - 2,87(in) bottom: 293(mm) - 11,53(in)

**It142**

**W**

### Weight:

empty: 12,20kg - 26,90lbs  
with cubed foam: 16,18kg - 35,67lbs


### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F

### Colors:

Black

## TECHNICAL DRAWING



\* cubed foam



\* interior bag



\* soft padded open deck + dividers



**APPROVALS**  
ATA 300  
IP67  
STANAG 4280  
DS 81-41

**TEST**  
DROP  
IMPACT  
HANDLE  
WATERTIGHT INTEGRITY  
UV COLOR AND MATERIAL  
PROTECTION

**volume in litres**  
**W**  
wheeled

## ACCESSORIES

**HPRCCF2780W**  
CUBED FOAM  
USA:HPRCF0 (foam only)

**HPRCLO**  
PADLOCK - TSA

**HPRCCB2780W**  
INTERIOR BAG  
USA:HPRCIC (internal case)

**HPRCORG2780W**  
LID ORGANIZER

**HPRCS2D2780W** SOFT PADDED  
OPEN DECK + DIVIDERS USA:  
HPRCDK (divider kit)



# HPRC 2800W



\* open cases images reflect the different HPRC cases internal options

## TECHNICAL FEATURES

### Dimension:

internal dimension 749x525x455(mm) - 29,49x20,67x17,91(in)  
external dimension 810x586,5x479(mm) - 31,89x23,09x18,86(in)

lid: 73(mm) - 2,87(in) bottom: 382(mm) - 15,03(in)

**It179**

**W**

### Weight:

empty: 13,20kg - 29,10lbs  
with cubed foam: 17,43kg - 38,43lbs


### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F

### Colors:

Black

## TECHNICAL DRAWING



\* cubed foam



\* interior bag



**APPROVALS**  
ATA 300  
IP67  
STANAG 4280  
DS 81-41

**TEST**  
DROP  
IMPACT  
HANDLE  
WATERTIGHT INTEGRITY  
UV COLOR AND MATERIAL  
PROTECTION

**W**  
volume in litres  
wheeled

## ACCESSORIES

**HPRCCF2800W**  
CUBED FOAM  
USA:HPRCFO (foam only)

**HPRCLO**  
PADLOCK - TSA

**HPRCCB2800W**  
INTERIOR BAG  
USA:HPRCIC (internal case)

**HPRCORG2800W**  
LID ORGANIZER



# HPRC 3500



## TECHNICAL FEATURES

### Dimension:

internal dimension 433x319x169(mm) - 17,05x12,56x6,65(in)  
external dimension 498x370x185(mm) - 19,61x14,57x7,28(in)

lid: 72(mm) - 2,83(in) bottom: 97(mm) - 3,81(in)

**lit22**

### Weight:

empty: 3,00kg - 6,61lbs  
with cubed foam: 3,55kg - 7,82lbs

### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F

### Colors:

Black




\* cubed foam



\* interior bag

## TECHNICAL DRAWING




**APPROVALS**  
ATA 300  
IP67  
STANAG 4280  
DS 81-41

**TEST**  
DROP  
IMPACT  
HANDLE  
WATERTIGHT INTEGRITY  
UV COLOR AND MATERIAL  
PROTECTION

**W**  
volume in litres  
wheeled

## ACCESSORIES

**HPRCCF3500**  
CUBED FOAM  
USA:HPRCF0 (foam only)



**HPRCCB3500**  
INTERIOR BAG  
USA:HPRCIC (internal case)



**HPRCORG3500**  
LID ORGANIZER





# HPRC 4050

SHOULDER  
CASE



## TECHNICAL FEATURES

### Dimension:

internal dimension 261x171x220(mm) - 10,28x6,73x8,66(in)  
external dimension 284x223x260(mm) - 11,18x8,78x10,24(in)

lid: 24(mm) - 0,94(in) bottom: 196(mm) - 7,71(in)



### Weight:

empty: 1,66kg - 3,66lbs  
with cubed foam: 1,85kg - 4,07lbs


### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F

### Colors:

Black

## TECHNICAL DRAWING



\* cubed foam



\* soft padded open deck + dividers



APPROVALS  
ATA 300  
IP67  
STANAG 4280  
DS 81-41

TEST  
DROP  
IMPACT  
HANDLE  
WATERTIGHT INTEGRITY  
UV COLOR AND MATERIAL  
PROTECTION



## ACCESSORIES

HPRCCF4050  
CUBED FOAM  
USA:HPRCF0 (foam only)

HPRCLO  
PADLOCK - TSA

HPRCPADDEDSTRAP

HPRCSD4050 SOFT PADDED  
OPEN DECK + DIVIDERS USA:  
HPRCDK (divider kit)

HPRCPANELFRAME  
SUPPORT KIT



**SHOULDER  
CASE**



\* open cases images reflect the different HPRC cases internal options

## TECHNICAL FEATURES

### Dimension:

internal dimension 401x231x231(mm) - 15,79x9,09x9,09(in)  
external dimension 424x284x276,5(mm) - 16,69x11,18x10,89(in)

lid: 46(mm) - 1,81(in) bottom: 185(mm) - 7,28(in)





**Weight:**  
empty: 2,78kg - 6,13lbs  
with cubed foam: 3,27kg - 7,20lbs

### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F

**Colors:**  
Black

## TECHNICAL DRAWING



**APPROVALS**  
ATA 300  
IP67  
STANAG 4280  
DS 81-41

**TEST**  
DROP  
IMPACT  
HANDLE  
WATERTIGHT INTEGRITY  
UV COLOR AND MATERIAL  
PROTECTION



\* cubed foam

\* soft padded open deck + dividers

## ACCESSORIES

**HPRCCF4100**  
CUBED FOAM  
USA:HPRCF0 (foam only)



**HPRCLO**  
PADLOCK - TSA



**HPRCPADDEDSTRAP**



**HPRCSD4050** SOFT PADDED  
OPEN DECK + DIVIDERS USA:  
HPRCDK (divider kit)



**HPRCPANELFRAME**  
SUPPORT KIT



# HPRC 4200

SHOULDER  
CASE



## TECHNICAL FEATURES

### Dimension:

internal dimension 460x240x400(mm) - 18,11x9,45x15,75(in)  
external dimension 483x293x445,5(mm) - 19,02x11,54x17,54(in)

lt44

lid: 66(mm) - 2,60(in) bottom: 334(mm) - 13,14(in)

### Weight:

empty: 5,00kg - 11,02lbs  
with cubed foam: 5,10kg - 11,24lbs

### Temperature rating:

Minimum -40°C -40°F Maximum +80°C +176°F

### Colors:

Black



\* cubed foam




\* interior bag



\* soft padded open deck + dividers

## TECHNICAL DRAWING



**APPROVALS**  
ATA 300  
IP67  
STANAG 4280  
DS 81-41

**TEST**  
DROP  
IMPACT  
HANDLE  
WATERTIGHT INTEGRITY  
UV COLOR AND MATERIAL  
PROTECTION

lt. volume in litres  
W wheeled

## ACCESSORIES

HPRCCF4200 CUBED FOAM USA:HPRCF0 (foam only)	HPRCLO PADLOCK - TSA	HPRCCB4200 INTERIOR BAG USA:HPRCIC (internal case)	HPRCPADDEDSTRAP	HPRCSD4200 SOFT PADDED OPEN DECK + DIVIDERS USA: HPRCDK (divider kit)	HPRCPANELFRAME SUPPORT KIT

\* open cases images reflect the different HPRC cases internal options



## TECHNICAL FEATURES

### Dimension:

internal dimension 585x320x309(mm) - 23,03x12,60x12,17(in)  
external dimension 690x380x355(mm) - 27,17x14,96x13,98(in)

lid: 80(mm) - 3,15(in) bottom: 229(mm) - 9,01(in)

lit62

### Weight:

empty: 6,50kg - 14,33lbs  
with cubed foam: 7,96kg - 17,54lbs


### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F

### Colors:

Black

## TECHNICAL DRAWING



\* cubed foam



\* interior bag



\* soft padded open deck + dividers



**APPROVALS**  
ATA 300  
IP67  
STANAG 4280  
DS 81-41

**TEST**  
DROP  
IMPACT  
HANDLE  
WATERTIGHT INTEGRITY  
UV COLOR AND MATERIAL  
PROTECTION



## ACCESSORIES

**HPRCCF4300**  
CUBED FOAM  
USA:HPRCF0 (foam only)



**HPRCLO**  
PADLOCK - TSA



**HPRCCB4300**  
INTERIOR BAG  
USA:HPRC (internal case)



**HPRCSD4300** SOFT PADDED  
OPEN DECK + DIVIDERS USA:  
HPRCDK (divider kit)



# HPRC 4300W



## TECHNICAL FEATURES

### Dimension:

internal dimension 585x320x300(mm) - 23,03x12,60x11,81(in)  
external dimension 690x380x358(mm) - 27,17x14,96x14,09(in)

lid: 80(mm) - 3,15(in) bottom: 220(mm) - 8,66(in)



### Weight:

empty: 7,30kg - 16,09lbs  
with cubed foam: 8,76kg - 19,31lbs


### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F

### Colors:

Black

## TECHNICAL DRAWING



\* cubed foam



\* interior bag



\* soft padded open deck + dividers



**APPROVALS**  
ATA 300  
IP67  
STANAG 4280  
DS 81-41

**TEST**  
DROP  
IMPACT  
HANDLE  
WATERTIGHT INTEGRITY  
UV COLOR AND MATERIAL  
PROTECTION



## ACCESSORIES

**HPRCCF4300W**  
CUBED FOAM  
USA:HPRCF0 (foam only)

**HPRCLO**  
PADLOCK - TSA

**HPRCCB4300W**  
INTERIOR BAG  
USA:HPRCIC (internal case)

**HPRCSD4300W** SOFT PADDED  
OPEN DECK + DIVIDERS USA:  
HPRCDK (divider kit)



\* open cases images reflect the different HPRC cases internal options



## TECHNICAL FEATURES

### Dimension:

internal dimension 420x420x389(mm) - 16,54x16,54x15,31(in)  
external dimension 479x481x437(mm) - 18,86x18,94x17,20(in)

lit74

lid: 65(mm) - 2,56(in) bottom: 324(mm) - 12,75(in)

### Weight:

empty: 6,70kg - 14,77lbs  
with cubed foam: 8,90kg - 19,62lbs

### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F


### Colors:

Black



\* cubed foam

## TECHNICAL DRAWING



	   	<b>APPROVALS</b> ATA 300 IP67 STANAG 4280 DS 81-41	<b>TEST</b> DROP IMPACT HANDLE WATERTIGHT INTEGRITY UV COLOR AND MATERIAL PROTECTION	<span style="color: red;">W</span> <small>volume in litres wheeled</small>
--	--------------	----------------------------------------------------------------	-----------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------

## ACCESSORIES

HPRCCF4400 CUBED FOAM USA:HPRCF0 (foam only)	HPRCLO PADLOCK - TSA	HPRCKITW4400 wheel kit for 4400

# HPRC 4700W



## TECHNICAL FEATURES

### Dimension:

internal dimension 508x301x497(mm) - 20,00x11,85x19,57(in)  
external dimension 572x412x564(mm) - 22,52x16,22x22,20(in)

lid: 23(mm) - 0,91(in) bottom: 474(mm) - 18,66(in)

lit81

W

### Weight:

empty: 11,60kg - 25,57lbs  
with cubed foam: 14,84kg - 32,71lbs


### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F

### Colors:

Black

## TECHNICAL DRAWING



\* cubed foam



\* interior bag



\* soft padded open deck + dividers



**APPROVALS**  
ATA 300  
IP67  
STANAG 4280  
DS 81-41

**TEST**  
DROP  
IMPACT  
HANDLE  
WATERTIGHT INTEGRITY  
UV COLOR AND MATERIAL  
PROTECTION

\* volume in litres  
W wheeled

## ACCESSORIES

**HPRCCF4700W**  
CUBED FOAM  
USA:HPRCF0 (foam only)

**HPRCLO**  
PADLOCK - TSA

**HPRCCB4700W**  
Interior bag  
USA:HPRCIC (internal case)

**HPRCSD4700W** SOFT PADDED  
OPEN DECK + DIVIDERS USA:  
HPRCDK (divider kit)



# HPRC 5400W



\* open cases images reflect the different HPRC cases internal options

## TECHNICAL FEATURES

### Dimension:

internal dimension 1140x350x160(mm) - 44,88x13,78x6,30(in)  
external dimension 1175x410x181(mm) - 46,26x16,14x7,13(in)

lid: 45(mm) - 1,77(in) bottom: 115(mm) - 4,52(in)

It64

W

### Weight:

empty: 7,90kg - 17,42lbs  
with cubed foam: 8,80kg - 19,40lbs


### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F

### Colors:

Black

## TECHNICAL DRAWING



\* cubed foam



\* interior bag



**APPROVALS**  
ATA 300  
IP67  
STANAG 4280  
DS 81-41

**TEST**  
DROP  
IMPACT  
HANDLE  
WATERTIGHT INTEGRITY  
UV COLOR AND MATERIAL  
PROTECTION



## ACCESSORIES

**HPRCCF5400W**  
CUBED FOAM  
USA:HPRCFO (foam only)



**HPRCLO**  
PADLOCK - TSA



**HPRCCB5400W**  
INTERIOR BAG  
USA:HPRCIC (internal case)



# HPRC 6200



## TECHNICAL FEATURES

### Dimension:

internal dimension 651x279x243(mm) - 25,63x10,98x9,57(in)  
external dimension 700x335x292(mm) - 27,56x13,19x11,50(in)

lid: 112(mm) - 4,41(in) bottom: 131(mm) - 5,15(in)

lit38

### Weight:

empty: 4,00kg - 8,82lbs  
with cubed foam: 5,80kg - 12,78lbs

### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F

### Colors:

Black




\* cubed foam



\* tri version

## TECHNICAL DRAWING



**APPROVALS**  
ATA 300  
IP67  
STANAG 4280  
DS 81-41

**TEST**  
DROP  
IMPACT  
HANDLE  
WATERTIGHT INTEGRITY  
UV COLOR AND MATERIAL  
PROTECTION

\* volume in litres  
W = wheeled

## ACCESSORIES

HPRCCF6200  
CUBED FOAM  
USA:HPRCF0 (foam only)

HPRC6200TRI  
for tripods

HPRCLO  
PADLOCK - TSA



# HPRC 6300W

\* open cases images reflect the different HPRC cases internal options



## TECHNICAL FEATURES

### Dimension:

internal dimension 921x279x243(mm) - 36,26x10,98x9,57(in)  
external dimension 970x335x285(mm) - 38,19x13,19x11,22(in)

lid: 112(mm) - 4,41(in) bottom: 131(mm) - 5,15(in)

It54

W

### Weight:

empty: 5,70kg - 12,57lbs  
with cubed foam: 6,95kg - 15,32lbs

### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F

### Colors:

Black





\* cubed foam



\* tri version

## TECHNICAL DRAWING



**APPROVALS**  
ATA 300  
IP67  
STANAG 4280  
DS 81-41

**TEST**  
DROP  
IMPACT  
HANDLE  
WATERTIGHT INTEGRITY  
UV COLOR AND MATERIAL  
PROTECTION



## ACCESSORIES

HPRCCF6300W  
CUBED FOAM  
USA:HPRCF0 (foam only)

HPRC6300WTRI  
for tripods

HPRCLO  
PADLOCK - TSA



# HPRC 6400W



## TECHNICAL FEATURES

### Dimension:

internal dimension 1081x279x243(mm) - 42,56x10,98x9,57(in)  
external dimension 1128x335x258(mm) - 44,41x13,19x11,22(in)

lid: 112(mm) - 4,41(in) bottom: 131(mm) - 5,15(in)

lit64

W

### Weight:

empty: 6,30kg - 13,89lbs  
with cubed foam: 7,84kg - 17,28lbs

### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F

### Colors:

Black




\* cubed foam



\* tri version

## TECHNICAL DRAWING



**APPROVALS**  
ATA 300  
IP67  
STANAG 4280  
DS 81-41

**TEST**  
DROP  
IMPACT  
HANDLE  
WATERTIGHT INTEGRITY  
UV COLOR AND MATERIAL  
PROTECTION

\* volume in litres  
W wheeled

## ACCESSORIES

**HPRCCF6400W**  
CUBED FOAM  
USA:HPRCF0 (foam only)

**HPRC6400WTRI**  
for tripods

**HPRCLO**  
PADLOCK - TSA



# HPRC 6500W



\* open cases images reflect the different HPRC cases internal options

## TECHNICAL FEATURES

### Dimension:

internal dimension 1281x279x243(mm) - 50,43x10,98x9,57(in)  
external dimension 1330x335x285(mm) - 52,36x13,19x11,22(in)

lid: 112(mm) - 4,41(in) bottom: 131(mm) - 5,15(in)

### Weight:

empty: 7,20kg - 15,87lbs  
with cubed foam: 9,03kg - 19,90lbs

### Temperature rating:

Minimum Maximum  
-40°C -40°F +80°C +176°F


### Colors:

Black

lit76

W

## TECHNICAL DRAWING



\* cubed foam



\* tri version



**APPROVALS**  
ATA 300  
IP67  
STANAG 4280  
DS 81-41

**TEST**  
DROP  
IMPACT  
HANDLE  
WATERTIGHT INTEGRITY  
UV COLOR AND MATERIAL  
PROTECTION



## ACCESSORIES

HPRCCF6500W  
CUBED FOAM  
USA:HPRCFO (foam only)

HPRC6500WTRI  
for tripods

HPRCLO  
PADLOCK - TSA





Photo by Davide Marcesini

Photo by Phil Amitz

Photo by Martin Edstrom

Photo by Flavio Oliva



## TECHNICAL FEATURES

## Dimension:

**closed** 394x280x27,5(mm) - 15,51x11,02x1,08(in)  
**open** 464x350x27,5(mm) - 12,26x13,77x1,08(in)

**Weight:**

**Weight:** empty: 0,95kg - 2,09lbs


#### **Temperature rating:**

**Temperature Rating:** Minimum -40°C -40°F Maximum +80°C +176°F

### Colors:

Color  
Black

# **TECHNICAL DRAWING**



\* tripod, laptop and shelter not included



#### APPROVALS

**APPROVALS**  
ATA 300  
IP67  
STANAG 4280  
DS 81-41

TEST

TEST  
DROP  
IMPACT  
HANDLE  
WATERTIGHT INTEGRITY  
UV COLOR AND MATERIAL  
PROTECTION

# technical chart

HPRC1100		TTX01
	<b>internal dimension</b> 57x58x25,5(mm) 2,24x2,28x1,00(in)	
	<b>external dimension</b> 69x80x32(mm) 2,72x3,15x1,26(in)	
	<b>weight empty</b> empty: 0,04kg - 0,09lbs	

HPRC1300		TTX01
	<b>internal dimension</b> 116x67x25,5(mm) 4,57x2,64x1,00(in)	
	<b>external dimension</b> 127x90x32(mm) 5,00x3,54x1,26(in)	
	<b>weight empty</b> empty: 0,09kg - 0,19lbs	

HPRC2100		TTX01
	<b>internal dimension</b> 210x145x94(mm) 8,27x5,71x3,70(in)	
	<b>external dimension</b> 235x196x110(mm) 9,25x7,72x4,33(in)	
	<b>weight empty</b> empty: 0,76kg - 1,68lbs	

HPRC2200		TTX01
	<b>internal dimension</b> 236x182x108(mm) 9,29x7,17x4,25(in)	
	<b>external dimension</b> 258x230x123(mm) 10,16x9,06x4,84(in)	
	<b>weight empty</b> empty: 0,87kg - 1,92lbs	

HPRC2250		TTX01
	<b>internal dimension</b> 236x182x155(mm) 9,29x7,17x6,10(in)	
	<b>external dimension</b> 258x230x170(mm) 10,16x9,06x6,69(in)	
	<b>weight empty</b> 1,00kg - 2,20lbs	

HPRC2300		TTX01
	<b>internal dimension</b> 304x231x137(mm) 11,97x9,09x5,39(in)	
	<b>external dimension</b> 335x289x155(mm) 13,19x11,38x6,10(in)	
	<b>weight empty</b> 1,67kg - 3,68lbs	

HPRC2400		TTX01
	<b>internal dimension</b> 380x266x152(mm) 14,96x10,47x5,98(in)	
	<b>external dimension</b> 405x330x170(mm) 15,94x12,99x6,69(in)	
	<b>weight empty</b> 2,05kg - 4,52lbs	

HPRC2460		TTX01
	<b>internal dimension</b> 409x306x175(mm) 16,10x12,05x6,89(in)	
	<b>external dimension</b> 434x371x193(mm) 17,09x14,61x7,60(in)	
	<b>weight empty</b> 2,60kg - 5,73lbs	

HPRC2500		TTX01
	<b>internal dimension</b> 450x323x175(mm) 17,72x12,72x6,89(in)	
	<b>external dimension</b> 478x390x194(mm) 18,82x15,35x7,64(in)	
	<b>weight empty</b> 3,15kg - 6,94lbs	

HPRC2530		TTX01
	<b>internal dimension</b> 513x288x132(mm) 20,20x11,34x5,20(in)	
	<b>external dimension</b> 540x350x135(mm) 21,26x13,78x5,31(in)	
	<b>weight empty</b> 3,20kg - 7,05lbs	

HPRC2550W		TTX01
	<b>internal dimension</b> 510x285x208(mm) 20,08x11,22x8,19(in)	
	<b>external dimension</b> 559x350x233(mm) 22,01x13,78x9,17(in)	
	<b>weight empty</b> 4,85kg - 10,69lbs	

HPRC2580		TTX01
	<b>internal dimension</b> 390x310x89(mm) 15,35x12,20x3,50(in)	
	<b>external dimension</b> 410x359x110(mm) 16,14x14,13x4,33(in)	
	<b>weight empty</b> 2,40kg - 5,29lbs	

# technical chart

## HPRC2600 TTX01

	<b>internal dimension</b> 492x366x202(mm) 19,37x14,41x7,95(in)
	<b>external dimension</b> 555x432x223(mm) 21,85x17,01x8,78(in)
	<b>weight empty</b> 4,25kg - 9,37lbs  <b>Colors</b> Black - Orange - Ferrari red - Electric blue

## HPRC2600W TTX01

	<b>internal dimension</b> 482x358x218(mm) 18,98x14,09x8,58(in)
	<b>external dimension</b> 546x423x250(mm) 21,05x16,65x9,84(in)
	<b>weight empty</b> 6,05kg - 13,34lbs  <b>Colors</b> Black - Orange - Electric blue

## HPRC2700 TTX01

	<b>internal dimension</b> 555x459x205(mm) 21,85x18,07x8,07(in)
	<b>external dimension</b> 617x525x227(mm) 24,29x20,67x8,94(in)
	<b>weight empty</b> 5,55kg - 12,24lbs  <b>Colors</b> Black - Orange - Ferrari red

## HPRC2700W TTX01

	<b>internal dimension</b> 555x459x256(mm) 21,85x18,07x10,08(in)
	<b>external dimension</b> 620x525x280(mm) 24,41x20,67x11,02(in)
	<b>weight empty</b> 8,30kg - 18,30lbs  <b>Colors</b> Black - Orange - Ferrari red

## HPRC2730W TTX01

	<b>internal dimension</b> 509x460x316(mm) 20,04x18,11x12,44(in)
	<b>external dimension</b> 620x520x350(mm) 24,41x20,47x13,78(in)
	<b>weight empty</b> 7,55kg - 16,64lbs  <b>Colors</b> Black

## HPRC2760W TTX01

	<b>internal dimension</b> 690x450x300(mm) 27,16x17,71x11,81(in)
	<b>external dimension</b> 750x510x329(mm) 29,53x20,08x12,99(in)
	<b>weight empty</b> 9,20kg - 20,28lbs  <b>Colors</b> Black

## HPRC2780W TTX01

	<b>internal dimension</b> 749x525x366(mm) 29,49x20,67x14,41(in)
	<b>external dimension</b> 810x586,5x388(mm) 31,89x23,09x15,28(in)
	<b>weight empty</b> 12,20kg - 26,90lbs  <b>Colors</b> Black

## HPRC2800W TTX01

	<b>internal dimension</b> 749x525x455(mm) 29,49x20,67x17,91(in)
	<b>external dimension</b> 810x586,5x479(mm) 31,89x23,09x18,86(in)
	<b>weight empty</b> 13,20kg - 29,10lbs  <b>Colors</b> Black

## HPRC3500 TTX01

	<b>internal dimension</b> 433x319x169(mm) 17,05x12,56x6,65(in)
	<b>external dimension</b> 498x370x185(mm) 19,61x14,57x7,28(in)
	<b>weight empty</b> 3,00kg - 6,61lbs  <b>Colors</b> Black

## HPRC4050 TTX01

	<b>internal dimension</b> 261x171x220(mm) 10,28x6,73x8,66(in)
	<b>external dimension</b> 284x223x260(mm) 11,18x8,78x10,24(in)
	<b>weight empty</b> 3,00kg - 6,61lbs  <b>Colors</b> Black

## HPRC4100 TTX01

	<b>internal dimension</b> 401x231x231(mm) 15,79x9,09x9,09(in)
	<b>external dimension</b> 424x284x276,5(mm) 16,69x11,18x10,89(in)
	<b>weight empty</b> 2,78kg - 6,13lbs  <b>Colors</b> Black

## HPRC4200 TTX01

	<b>internal dimension</b> 460x240x400(mm) 18,11x9,45x15,75(in)
	<b>external dimension</b> 483x293x445,5(mm) 19,02x11,54x17,54(in)
	<b>weight empty</b> 5,35kg - 11,79lbs  <b>Colors</b> Black

# technical chart

HPRC4300		TTX01
	<b>internal dimension</b> 585x320x309(mm) 23,03x12,60x12,17(in)	
 <b>lt62</b>	<b>external dimension</b> 690x380x355(mm) 27,17x14,96x13,98(in)	
 <b>lt62</b>	<b>weight empty</b> 6,50kg - 14,33lbs	

HPRC4300W		TTX01
	<b>internal dimension</b> 585x320x300(mm) 23,03x12,60x11,81(in)	
 <b>lt62</b>	<b>external dimension</b> 690x380x358(mm) 27,17x14,96x14,09(in)	
 <b>W</b>	<b>weight empty</b> 7,30kg - 16,09lbs	

HPRC4400		TTX01
	<b>internal dimension</b> 420x420x389(mm) 16,54x16,54x15,31(in)	
 <b>lt74</b>	<b>external dimension</b> 479x481x437(mm) 18,86x18,94x17,20(in)	
 <b>W</b>	<b>weight empty</b> 6,70kg - 14,77lbs	

HPRC4700W		TTX01
	<b>internal dimension</b> 508x301x497(mm) 20,00x11,85x19,57(in)	
 <b>lt81</b>	<b>external dimension</b> 572x412x564(mm) 22,52x16,22x22,20(in)	
 <b>W</b>	<b>weight empty</b> 11,60kg - 25,57lbs	

HPRC5400W		TTX01
	<b>internal dimension</b> 1140x350x160(mm) 44,88x13,78x6,30(in)	
 <b>lt64</b>	<b>external dimension</b> 1175x410x181(mm) 46,26x16,14x7,13(in)	
 <b>W</b>	<b>weight empty</b> 7,90kg - 17,42lbs	

HPRC6200		TTX01
	<b>internal dimension</b> 651x279x243(mm) 25,63x10,98x9,57(in)	
 <b>lt38</b>	<b>external dimension</b> 700x335x292(mm) 27,56x13,19x11,50(in)	
 <b>W</b>	<b>weight empty</b> 4,00kg - 8,82lbs	

HPRC6300W		TTX01
	<b>internal dimension</b> 921x279x243(mm) 36,26x10,98x9,57(in)	
 <b>lt54</b>	<b>external dimension</b> 970x335x285(mm) 38,19x13,19x11,22(in)	
 <b>W</b>	<b>weight empty</b> 5,70kg - 12,57lbs	

HPRC6400W		TTX01
	<b>internal dimension</b> 1081x279x243(mm) 42,56x10,98x9,57(in)	
 <b>lt64</b>	<b>external dimension</b> 1128x335x258(mm) 44,41x13,19x11,22(in)	
 <b>W</b>	<b>weight empty</b> 6,30kg - 13,89lbs	

HPRC6500W		TTX01
	<b>internal dimension</b> 1281x279x243(mm) 50,43x10,98x9,57(in)	
 <b>lt76</b>	<b>external dimension</b> 1330x335x285(mm) 52,36x13,19x11,22(in)	
 <b>W</b>	<b>weight empty</b> 7,20kg - 15,87lbs	

HPRC0500		TTX01
	<b>dimension closed</b> 394x280x27,5(mm) 15,51x11,02x1,08(in)	
<b>dimension open</b> 464x350x27,5(mm) 12,26x13,77x1,08(in)		
<b>weight empty</b> empty: 0,95kg - 2,09lbs		
<b>Colors</b> Black		

Plaber S.r.l reserves the right to modify its products at any time and without notice, in order to better their quality and functionality. Therefore, all the information given in this datasheet is to be considered indicative and subject to possible modifications.

H P R C   C A S E S  
**MADE IN ITALY**  
MANUFACTURED

 Find us  
on Facebook

 Plaberitalia  
Channel



Plaber s.r.l. - HPRC cases

Via Div Tridentina, 10  
I-36061 Bassano del Grappa  
Vicenza - Italy

Tel +39 0424 809150  
Fax +39 0424 808548

USA office and warehouse:

HPRC USA  
240 Anderson Avenue  
07074 Moonachie - New Jersey

Tel +1 201 617 2010  
Fax +1 201 617 2001

[www.hprc.it](http://www.hprc.it)  
E: info@hprc.it

HPRC® Brand owned by:

*plaber*  
ITALIA